


REV. C	SHEET 1 OF 1	DOCUMENT NO. PV-517002-14
REVISIONS		
LTR	DESCRIPTION	DATE
A	INITIAL RELEASE	10/23/18
B	CHANGE TO 6.0MM2 WIRE	11/19/18
C	ADD OVERALL LENGTH	4/19/19

CUSTOMER DRAWING



1. ALL MATERIALS SHALL BE CERTIFIED COMPLIANT TO THE LATEST RoHS DIRECTIVE.

NOTES:

THIS DOCUMENT CONTAINS PROPRIETARY INFORMATION AND SUCH INFORMATION MAY NOT BE DISCLOSED TO OTHERS FOR ANY PURPOSE OR USED FOR MANUFACTURING PURPOSES WITHOUT WRITTEN PERMISSION FROM THE AMPHENOL CORP.

N/A	PRO/ENGINEER INFORMATION
N/A	Pro/e Model Used:
	Drawing Name:
	PRO/INTRALINK INFORMATION
	RELEASE STATE
	REVISION
	VERSION

UNLESS OTHERWISE SPECIFIED LINEAR DIMENSIONS ARE IN: MILLIMETERS TOLERANCES: .x= ±0.2 .xx= ±0.1 ANGLES= ±2° NO DEFAULT LINEAR TOLERANCES DIM. & TOL. PER ASME Y14.5M-1994; DRW PER MIL-DTL-31000; OTHER AMPHENOL STANDARDS: 9-9318 LEGENDS: =FLAG NOTE CALL OUT REFERENCE ONLY	SPECIFICATIONS	ITEM	QTY	PART NUMBER	DESCRIPTION	NOTE
	MATERIAL SPEC.	PARTS LIST				
	N/A	APPROVALS	DATE	Amphenol Technology (Shenzhen) Co., Ltd		
	PROCESS SPEC.	PREPARED BY: Eddie	10/23/18	Building C, 2nd Industrial Zone of Xia Shi Jia, Jiangshi Community, Gongming Sub-district, Guangming New District, Shenzhen, PRC		
N/A	DESIGN MANAGER: Eddie		Y TYPE OVERMOLD CABLE ASSEMBLY, MALE, WITH FUSE 1500V, 15A			
	DESIGN ACTIVITIES GROUP: C&I		SIZE A2			
	THIRD ANGLE PROJECTION		CAGE CODE -			
			DOCUMENT NO. PV-517002-14			
			SCALE: N/A			
			REF.			
			SHEET 1 OF 1			