

BUILDING AUTOMATION BROCHURE

Connect The Infinite Wonderful Future




Application Field

- Building Controls
- Internet of Things (IOT)
- Thermostats
- Door Entry & Access Control
- Security Systems & Smoking Detection Sensor
- Room Sensors & Room Operating Units
- Fire Damper Modules
- KNX Modules
- Elevator Control

New Products

GA001

GA001xx0000G
Pitch: 5.0mm
Rated Voltage: 300V
Rated Current: 7A
Wire Range: AWG 18-24
Mating Pin: GW(φ1.1mm)





Application Scenarios




GB001

GB001xx1x000G/GB001xx0x000G
Pitch: 5.0mm
Rated Voltage: 150V/300V
Rated Current: 6A
Wire Range: AWG 16-22
Mating Pin: FW(φ1.0mm)



GB001xx0x000G



GB001xx1x000G

Feature

Pluggable mating wire pin φ1.0mm

Feature

Built-in switch: Wire inserted, Without wire

Switch Function

Detects loose wires, allowing remote HVAC troubleshooting to keep the system running smoothly and reduce downtime.

Pluggable PCB Connectors

PS+OQ

Pitch: 3.5mm
Poles: 2P-16P
Rated Voltage: 300V
Rated Current: 9A



NEW


HW OQ/VK

Pitch: 5.0mm
Poles: 2P-24P
Rated Voltage: 300V
Rated Current: 10A




KD OQ/VO

Pitch: 3.5mm
Poles: 2P-24P
Rated Voltage: 160V
Rated Current: 5.5A




TS OQ/VO

Pitch: 3.5mm
Poles: 2P-24P
Rated Voltage: 300V
Rated Current: 8A




N4/VW+VX

Pitch: 3.5mm
Poles: 2*18P/2*2P-2*24P
Rated Voltage: 300V/150V
Rated Current: 10A/7A



NL+NR HN+EL

Pitch: 3.5mm
Poles: 2*2P-2*24P/
2P-24P
Rated Voltage: 300V/300V
Rated Current: 8A/10A



TJ OQ/VK

Pitch: 5.0mm
Poles: 2P-24P
Rated Voltage: 300V
Rated Current: 12A



VM OQ/VO

Pitch: 3.5mm
Poles: 2P-24P
Rated Voltage: 300V
Rated Current: 10A



Pin-Strip Plugs

EH+OP

Pitch: 3.5mm
Poles: 2P-24P
Rated Voltage: 150V
Rated Current: 10A



TX+EX

Pitch: 5.0mm
Poles: 2P-24P
Rated Voltage: 300V
Rated Current: 10A



XD+OP

Pitch: 5.0mm
Poles: 2P-12P
Rated Voltage: 300V
Rated Current: 8A



NEW

TY+OP

Pitch: 5.0mm
Poles: 2P-24P
Rated Voltage: 300V
Rated Current: 10A



HU+PF

Pitch: 5.08mm
Poles: 2P-8P
Rated Voltage: 300V
Rated Current: 15A



NEW

NS+OP

Pitch: 5.75mm
Poles: 2P
Rated Voltage: 150V
Rated Current: 7A



KNX
Certification

NU+OP


Pitch: 3.5mm
Poles: 1P-24P
Rated Voltage: 300V
Rated Current: 2A



PCB Terminal Blocks

HE

Pitch: 2.54mm
Poles: 2P-12P
Rated Voltage: 150V
Rated Current: 4A



QT


Pitch: 5.0mm
Poles: 2P-24P
Rated Voltage: 300V
Rated Current: 16A



NEW


HA

Pitch: 2.54mm
Poles: 2P-24P
Rated Voltage: 150V
Rated Current: 2A



HC/H6

Pitch: 3.5mm/5.0mm
Poles: 2P-24P
Rated Voltage: 300V/300V
Rated Current: 6A/11A



NM

Pitch: 3.5mm
Poles: 2P-24P
Rated Voltage: 300V
Rated Current: Sol 7A, Str 10A



THR

NI


Pitch: 3.81mm
Poles: 1P-24P
Rated Voltage: 300V
Rated Current: 10A



THR


TG/HG

Pitch: 5.0mm
Poles: 2P-24P
Rated Voltage: 300V
Rated Current: 15A




YQ/EF

Pitch: 3.5mm
Poles: 2*2P-2*24P
2P-24P
Rated Voltage: 300V/300V
Rated Current: 10A/20A



XE

Pitch: 3.5mm
Poles: 1P-24P
Rated Voltage: 300V
Rated Current: 5A



NEW


NK

Pitch: 7.5mm
Poles: 1P-16P
Rated Voltage: 300V
Rated Current: Sol 30A,
Str 35A



XA

Pitch: 6.35mm
Poles: 1P-12P
Rated Voltage: 300V/600V
Rated Current: 30A/30A



NEW

Lighting Connector

N2/N3

Pitch: 4.6mm/5.6mm
Poles: 2P/3P/5P
Rated Voltage: 600V/600V
Rated Current: 24A/35A



TQT

Pitch: 5.0mm
Poles: 2P/3P/4P/5P
Rated Voltage: 600V
Rated Current: 20A



NEW

EQT

Pitch: 5.0mm
Poles: 1-2P/1-3P/1-4P/1-5P
Rated Voltage: 600V
Rated Current: 20A



NEW

AQT

Pitch: 10.0mm
Poles: 2P/3P/4P/5P
Rated Voltage: 450V
Rated Current: 17.5A



NEW

ANYTEK[®]

Anytek Electronic Technology (SZ) Co., Ltd.
恩尼特克电子科技（深圳）有限公司

Web Site: <https://www.anytek.com.cn>
<https://www.anytek.com.tw>
E-mail: anytek@anytek.com.cn

Taiwan Taipei

新北市汐止区新台五路一段77号5楼之6
5F-6, No.77, Sec. 1, Xintai 5th Rd., Xizhi Dist.,
New Taipei City 22175, Taiwan, R.O.C.
Tel: +886-(0)2-26980366
E-mail: anytek@anytek.com.tw

China Shenzhen Factory

深圳市龙岗区坪地街道中心社区佳乐街10号
No. 10, Jiale Street, Center Community,
Pingdi Street, Longgang District, Shenzhen City, China
工厂电话(Tel): +86-(0)755-84096008
销售电话(Tel): +86-(0)755-89943956/89943965
E-mail: anytek@anytek.com.cn

China Shanghai Office & Factory

上海市浦东新区宁桥路825号5号楼103室
Room 103, 5th Building, No. 825, Ning Qiao Road,
Pu Dong New District, Shanghai City, China
Tel: +86-(0)21-58999106
E-mail: anytek@anytek.com.cn

China Beijing Office

北京市海淀区上地十街1号院4号楼1412室
Room 1412, 4th Building, No. 1 Yard, Shangdi 10th Road,
Haidian District, Beijing City, China
Tel: +86-(0)10-62669285
E-mail: anytek@anytek.com.cn